



**2017
Spa Sales Guide**





Your Journey to Tranquility Begins Here!

Table of Contents


Product Overview	1-2
Acrylic and Skirting	3
Facility.....	4
Gecko Pack	5
Topside Controls.....	6
Equipment Enclosure.....	7
Pump System	8
Filter and Enclosure	9
Del Ozone	10
Therapy Jets	11
Plumbing	12
Waterfall.....	13
Diverter System.....	14
LED Lighting	15
Padded Headrests.....	16
Surface and Shell.....	17
Vacuum Form	18
Fiberglass.....	19
Frame	20
ABS Bottom	21
Insulation System	22
Foam Insulation.....	23
Maintenance Free Skirting.....	24
Stereo System	25
Stereo Speakers	26
Stereo Remote.....	27
Cover.....	28-29
Model Line-Up.....	30
Models.....	31-34
Warranty	35
Family.....	36
Spa Safety	



Value Added Features That Set Garden Leisure Spas Apart From Others

- 1 Digital Controls On Demand Hydrotherapy**
- 2 Air & Water Diverters**
User friendly design allows user to adjust the amount of air and water pressure
- 3 Efficient Filtration Systems**
(Styles may vary - open filter on GL635, GL625 & GL525. Enclosed filter on 7' & 8' models)
- 4 Fountain Jets & Waterfalls**
(GL625L equipped with waterfall)
- 5 UV Treated, Padded & Stitched Headrests**
- 6 Extra Large Footwell**
(Calf and ankle jets included on select models)
- 7 Adjustable Stainless Steel Jets with Optional Illuminated Jet Package**
(Jet styles vary by model)

At Garden Leisure Spas we develop a unique product. We invest time into constructing well-built spas, use the highest quality materials and develop a state-of-the-art therapeutic and entertainment user experience. An infinite amount of research stands behind the jet placement in every Garden Leisure Spa. These spas are built for style, stress reduction, and therapeutic benefits. From comfort seating with UV resistant padded headrests to powerful pumps, Garden Leisure rejuvenates both body and mind.





Your Journey to Tranquility Begins Here!

Garden Leisure Spas offers a variety of popular color options - designed to fit any decor. With proper care, your hot tub will be as rich and lustrous years from now as it is today.

The Garden Leisure Spa polymer cabinet offers an unparalleled look, texture, and performance. The cabinet is maintenance free and features custom rounded corners and removable panels for access to all areas inside the spa. The Garden Leisure Spa cabinetry is moisture and impact resistant, therefore it doesn't crack or fade. It is also sound proof and flame retardant.

- Deep Breathtaking Colors
- Faux Stone & Wicker Options Available (*Upcharge may apply*)
- Easy to Clean
- MAINTENANCE FREE SKIRTING!

Acrylic Surface Color Choices



Sterling Silver

Storm Cloud

Tuscan Sun

Skirting Color & Style Choices



Gray

Black

Espresso



Canyon Gray / Stone

Sierra Brown / Stone

Brown / Wicker



Lucite is a registered trademark of Lucite International, Inc.

Note: Color samples shown are representations of actual color, and are for identification only. Because the color may vary due to lighting, upcharge may apply for a panel on the tub.





Your Journey to Tranquility Begins Here!

Garden Leisure Spas are produced in a 330,000 sq.ft. state-of-the-art facility located in Tennessee that features the latest advancements in spa manufacturing.

- Nationally recognized suppliers & component manufacturers
- 140 point quality control inspections including water testing
- Environmentally conscious manufacturing procedures
- Quality-driven customer service team
- Over 225 years combined key management experience




Innovative XE Pack from Gecko Electronics™

In the field:

- Service friendly
 - Easy to power
 - No pressure switch
 - Error messages Display on keypad
 - No wiring diagrams
 - Color coded plugs
 - Easy access to heater
- 120V (convertible)

For the user:

- Easy to use
- Safe
- Reliable



Topside Controls

- Low profile / oval design
- Adjust jet and pump operation
- Water temperature regulation
- Adjust LED lighting colors
- Adjust filter cycle operation
- Smart winter and freeze protection mode
- Digital status readout
- LED backlit bezel



Pump System

Garden Leisure Spas are equipped with a oversized, dedicated spa pump. A pump of this size has to have oversized plumbing along with an extensive amount of large orifice style jets to work effectively.

- All pumps are 56 frame
- Pumps are installed on an anti-vibration and noise reducing pad

 Waterway



Supreme Efficiency System Operates on High and Low Speed!
This SAVES ENERGY and SAVES MONEY!

Filter & Enclosure

- Easy flow design
- 100 % of water is filtered through the top skimmer
- Treated filters help prevent the spread of bacteria. Aid in filter efficiency
- User friendly and easy to clean
- Dual filters - 50 and 100 sq. Ft. total filtration
- Mircoban treated filters available on all 100 sq. ft. filtration systems



*GL635 L, GL625 L and GL525 L
50 Sq. Ft. Filtration System*



*GL863 L, GL863 B, GL753 L and GL753 B
100 Sq. Ft. Filtration System*

APG Plasma Ozone Benefits

DEL Ozone systems have been third-party validated to kill up to 99.99% of microorganisms typically found in spas. Ozone sanitizes the water faster and without undesirable by-products such as chloramines and bromamines (created by use of traditional chlorine and bromine chemicals).

Higher ozone output and longer life than CD-Chip technology, the DEL Ozone APG is ideal for water treatment in spa applications. It is considerably more energy efficient than UV ozone generators resulting in low overall power consumption, low heat generation, lower operating cost and less frequent replacement cost.

- Water Back Flow Resistant
- Low EMI Design
- 120V and 240V Available
- Longer Life Than CD Chip
- Increased Ozone Output Over CD Chip
- Ozone Cell Indicator Lamp
- Ozone Management System Option
- Made From All Ozone Resistant Materials




Therapy Jets




- Strategically placed for the utmost benefits
- Jet placement targets major muscle groups for fast pain and stress relief
- Black and stainless steel design
- Adjustable, interchangeable jets allow you to customize the action
- Optional Illuminated / Backlit Feature available



(Large) Power Massage
(Multi Shower)




(Large) Power Rifle
(Enhanced Steady Stream)




Large Face Poly Twin Roto
(Rotating Dual Stream)




Mini Rifle
(Enhanced Steady Stream)




Large Directional
(Adjustable Steady Stream)




Mini Massage
(Three Stream Shower)



Cluster Shower
(Enhanced Multi Shower)




Cluster Directional
(Adjustable Steady Stream)



Plumbing

- Tubing installed with spa in the upside down position, this allows easy access for sealing joints
- All joints & connections are glued and clamped
- Supports water and air distribution
- The manifold plumbing system reduces # of 90° elbow's, this allows maximum and constant water flow



Illuminated Laminar Jets

- Fountain features
- Very appealing feature that adds atmosphere
- Only found on high-end spas



Diverter System

- Allows user to adjust amount of air and water to each seat
- Adjust waterfall flow
- Conveniently located
- Stylish design
- Easy turn construction
- LED lighted base



LED Lighting

1 Exterior Cabinet Lighting

3 Backlit Jet Option

5 Backlit Speakers

2 Large LED Interior Light

4 Backlit Air & Water Diverters

- Long life with no added heat
- Changes colors with numerous light shows
- Vibrant solid colors
- Illuminated jets option



Padded Headrest

- Added comfort
- Value added component only found on high-end spas
- Durable with UV protection



Custom Built Vacuum Former

- Lockable clamping system
- Precision mold alignment
- Precise pulls every time!
- Produces shells for Garden Leisure Spas



Fiberglass Material

- EPA - air quality
- ETL - listed product
- Double fiberglassed to ensure strength and durability
- Hand rolled process eliminates air pockets which can cause separation



Frame

- Uni-body construction
- Honeycomb shock absorbers
- Foot well / seat support
- Spa bottom leveled to frame
- 2" x 2" x 8' wood
- Pressure treated
- Custom built to model specifications



ABS Bottom



The full ABS bottom protects your spa, your deck or patio and creates a barrier for unwanted pests.



The Hydro-Heat Five Point Insulation System

The Hydro-Heat Five Point Insulation System

- Icynene™ Foam
- Foam Backing
- Maintenance Free Skirting
- Heated Air Space
- Pump Heat Returned



The Foam Insulation System

- Icynene foam 
- Ensures minimal heat loss
- Provides additional support during shipment
- Allows multiple access points, for electrical runs



Maintenance Free Skirting

- UV light inhibited - no color fade
- Impact resistant
- Moisture resistant
- Flame retardant
- Sound proof
- Increases heat retention



Stereo & Enclosures System Specifics

The Sound of Music - Integrated Bluetooth™ FM/MP3 System

Whether you are relaxing alone, sharing time with a loved one or entertaining friends—the sound of music always adds pleasure to the occasion. Garden Leisure Spas offer an optional Bluetooth™ stereo system with MP3 input which includes quality marine speakers for the ultimate sound quality that parallels the Garden Leisure models.

The unit is housed in a dedicated enclosure—conveniently located within easy reach. Also included is a mini waterproof remote that allows you to control your music from inside or around your spa.



Optional Audio System; Bluetooth™ / FM Audio with Docking Station and Marine Grade Speakers

- MP3 Input
- 2 Marine Grade Speakers
- Waterproof Floating Remote
- Water Resistant Enclosure
- Subwoofer
- Specifically Designed For Spas



The Bluetooth® word mark and logo are registered trademarks owned by Bluetooth SIG, Inc. Other trademarks and trade names are those of their respective owners

Stereo Floating Remote

- Custom design
- User friendly
- Floating
- Waterproof



Standard 4" - 2" Cover

- Child resistant locks
- Insulated heat bags
- Double sewn hand grips
- Interior poly bags reduce sweating and moisture

Garden Leisure recommends that you keep your cover on and locked when spa is not in use!

Cover Features & Benefits

1

Double Sewn, Hand Grips

Provide superior durability and an extra level of comfort.

3

4 Child Resistant Locking Mechanisms

Fasten to each corner of the spa, providing that extra peace of mind.

2

Insulated Heat Bags

Helps to eliminate heat loss between the cover fold when spa is not in use.

4

Sealed Interior Hexene Poly Bag

Protects inner foam core by reducing sweating and moisture.

Garden Leisure recommends that you keep your cover on and locked when spa is not in use!



GL863L (Lounger equipped)

Stereo Option Available



Size: 91" x 91" x 39"
 Jets: 63 - 4 Swirl Stainless Steel Jets
 Seats: 6 Adults
 Gallons: 450

Jet System

Gray / Stainless Steel	63 Total
Poly Storm Twin Spinner	9
Poly Storm Directional	18
Cluster Storm Twin Spinner	8
Cluster Storm Rifle	11
Mini Storm Directional	11
Mini Storm Massage	2
Power Storm Twin Spinner	2
Power Storm Massage	2
Ozone Purification Jet	1
Laminar Fountain Jet	2

Weight: Dry / Filled (approx.) 900 lbs. / 4500 lbs.

GL863B (Bench)

Stereo Option Available



Size: 91" x 91" x 39"
 Jets: 63 - 4 Swirl Stainless Steel Jets
 Seats: 7 Adults
 Gallons: 450

Jet System

Gray / Stainless Steel	63 Total
Poly Storm Twin Spinner	6
Poly Storm Directional	18
Cluster Storm Twin Spinner	6
Cluster Storm Rifle	13
Mini Storm Directional	15
Power Storm Twin Spinner	2
Power Storm Massage	3
Ozone Purification Jet	1
Laminar Fountain Jet	2

Standard Features on the GL863L & GL863B		Optional Features
Gecko™ XE Class Pack 220V / 60A Pump 1: Two-Speed 3.0 HP Continuous Duty 7.0 HP Breakdown Torque Pump 2: One-Speed 3.0 HP Continuous Duty 7.0 HP Breakdown Torque	Digital Topside Control 4 kW Heater 100 ft ³ Filtration Icynene™ Foam Insulation Maintenance Free Skirting ABS Bottom-Wrap Plasma Ozone Water Treatment LED Lighting	<ul style="list-style-type: none"> LED Backlit Jets (CIRC) Circulation Pump Stereo System <i>Waterproof Remote & Subwoofer</i> (IT) in.Touch™ (CL) in.Clear™ Sanitation System <p>Additional charges apply</p>
	LED Lit Skirting Corners Lucite™ Acrylic Surface Material Laminar Fountain Jets Padded Headrests Diverter VGB Compliant Intake 3 Yr. Parts / Labor Warranty	



GL753L (Lounger equipped) *Stereo Option Available*

GL753B (Bench) *Stereo Option Available*



Size: 82" x 82" x 39"
 Jets: 53 - 4 Swirl Stainless Steel Jets
 Seats: 6 Adults
 Gallons: 350

Size: 82" x 82" x 39"
 Jets: 53 - 4 Swirl Stainless Steel Jets
 Seats: 7 Adults
 Gallons: 350

Jet System

Gray / Stainless Steel	53 Total
Poly Storm Twin Spinner	10
Poly Storm Directional	14
Cluster Storm Twin Spinner	5
Cluster Storm Rifle	10
Mini Storm Directional	8
Mini Storm Massage	2
Power Storm Twin Spinner	1
Power Storm Massage	3
Ozone Purification Jet	1
Laminar Fountain Jet	2

Jet System

Gray / Stainless Steel	53 Total
Poly Storm Twin Spinner	10
Poly Storm Directional	12
Cluster Storm Twin Spinner	7
Cluster Storm Rifle	6
Mini Storm Directional	14
Power Storm Twin Spinner	2
Power Storm Massage	2
Ozone Purification Jet	1
Laminar Fountain Jet	2

Weight: Dry / Filled (approx.) 800 lbs. / 3600 lbs.

Standard Features on the GL753L & GL753B

Gecko™ XE Class Pack 220V / 60A Pump 1: Two-Speed 3.0 HP Continuous Duty 7.0 HP Breakdown Torque Pump 2: One-Speed 3.0 HP Continuous Duty 7.0 HP Breakdown Torque	Digital Topside Control 4 kW Heater 100 ft. Filtration Icynene™ Foam Insulation Maintenance Free Skirting ABS Bottom-Wrap Plasma Ozone Water Treatment LED Lighting
--	--

LED Lit Skirting Corners Lucite™ Acrylic Surface Material Laminar Fountain Jets Padded Headrests Diverter VGB Compliant Intake 3 Yr. Parts / Labor Warranty

Optional Features

- LED Backlit Jets (CIRC) Circulation Pump
 - Stereo System *Waterproof Remote & Subwoofer*
 - (IT) in.Touch™
 - (CL) in.Clear™ Sanitation System
- Additional charges apply**



GL635L (Lounger equipped) *Stereo Option Available*



Size: 78" x 83" x 36"
 Jets: 35 - 4 Swirl Stainless Steel Jets
 Seats: 6 Adults
 Gallons: 325

Jet System

Gray / Stainless Steel	35 Total
Poly Storm Twin Spinner	2
Poly Storm Directional	8
Cluster Storm Rifle	8
Mini Storm Directional	17
Ozone Purification Jet	1
Laminar Fountain Jet	2

Weight: Dry / Filled (approx.) 725 lbs. / 3200 lbs.

GL525L (Lounger equipped)



Size: 60" x 83" x 33.5"
 Jets: 25 - 4 Swirl Stainless Steel Jets
 Seats: 3 Adults
 Gallons: 225

Jet System

Gray / Stainless Steel	25 Total
Poly Storm Twin Spinner	2
Poly Storm Directional	6
Cluster Storm Rifle	2
Mini Storm Directional	15
Ozone Purification Jet	1
Laminar Fountain Jet	2

Weight: Dry / Filled (approx.) 475 lbs. / 2275 lbs.

Standard Features on the GL635L & GL525L			Optional Features
Gecko™ XE Class Pack 220V / 60A Digital Topside Control 1 Pump: Two-Speed 3.0 HP Continuous Duty 7.0 HP Breakdown Torque 4 kW Heater	50 ft. Filtration Icynene™ Foam Insulation Lucite™ Acrylic Surface Material Maintenance Free Skirting ABS Bottom-Wrap Plasma Ozone Water Treatment LED Lighting	LED Lit Skirting Corners Laminar Fountain Jets Padded Headrests Diverter VGB Compliant Intake 3 Yr. Parts / Labor Warranty	<ul style="list-style-type: none"> • LED Backlit Jets (CIRC) Circulation Pump • *Stereo System <i>Waterproof Remote & Subwoofer</i> • (IT) in.Touch™ • (CL) in.Clear™ Sanitation System <p>Additional charges apply</p>

*Stereo System not available on GL525L





Garden Leisure Spas Product Warranty



Garden Leisure Spas warrants its spas not to leak, meaning to be structurally sound and capable of holding water only, and against loss of water through the fiberglass laminate of the spa shell caused by defects in materials and/or workmanship for a period of **FIFTEEN YEARS**



Garden Leisure Spas warrants the surface finish of its spas to be free from blistering and cracking due to defects in the acrylic surface material for a period of **FIVE YEARS**



Garden Leisure Spas warrants the electrical components: heaters, pumps, relays and contactors and other spa components against malfunction, leaks and/or defects in materials and/or workmanship for a period of **THREE YEARS**.



Garden Leisure Spas warrants all plumbing parts to be free from defects in material and / or workmanship for a period of **THREE YEARS**



The ancillary electrical systems and mechanical components are warranted against malfunction due to defects in material and / or workmanship for a period of **ONE YEAR**

BUY WITH CONFIDENCE





Swim Spa Collection



- 1** Maintenance Free Skirting
Colors include Gray, Black and Espresso
- 2** Bluetooth™ / FM Audio System
with Docking Station and Marine
Grade Speakers*
- 3** Stainless Steel Fittings & Grab Bars
- 4** Hi Powered River Jets
- 5** Comfort Padded Headrests &
Adjustable Stainless Steel Jets

*Bluetooth™ audio system is standard on GL17 and GL19, Optional on GL13

Party/Exercise 13'



Size: 92" x 160" x 51"
 Jets: 29 - Stainless Steel
 Seats: 11 or 5 and 1 Swimmer
 Gallons: 1500

(4) Illuminated Swim Jets
 (6) Illuminated Fountain jets
 220 V / 60 A Electrical
 4kW Heater
 100 ft² filtration system

Weight: Dry / Filled (approx.)
 2300 lbs. / 13900 lbs.

1 - 4.0 Dual Speed Viper Pump
 1 - 4.0 One Speed Viper Pump

GL Premium 13'



Size: 92" x 160" x 55"
 Jets: 10 - Stainless Steel
 Seats: 4 Adults
 (1 Swimmer / 3 Seats)
 Gallons: 1500

(2) Illuminated River Jets
 (6) Illuminated Fountain jets
 220 V / 60 A Electrical
 4kW Heater
 100 ft² filtration system

Weight: Dry / Filled (approx.)
 2100 lbs. / 13500 lbs.

(2) 5.0bhp Viper™ pumps
 (1) 7.0bhp pump

GL Premium 17'



Size: 92" x 199" x 55"
 Jets: 30 - Stainless Steel
 Seats: 5 Adults
 (1 Swimmer / 4 Seats)
 Gallons: 1900

(3) Illuminated River Jets
 (6) Illuminated Fountain jets
 220 V / 60 A Electrical
 (2) 4kW Heaters
 100 ft² filtration system

Weight: Dry / Filled (approx.)
 2800 lbs. / 19300 lbs.

(2) 5.0bhp Viper™ pumps
 (1) 7.0bhp pump

GL Premium Dual 19'



Size: 92" x 224" x 55"
 Jets: 39 - Stainless Steel
 Seats: 8 Adults
 (1 Swimmer / 7 Seats)
 Gallons: 2100

(3) Illuminated River Jets
 (8) Illuminated Fountain jets
 (2) 220 V / 60 A Electrical
 (3) 4kW Heaters
 150 ft² filtration system
 *(2) Plasma Ozone generators

Weight: Dry / Filled (approx.)
 3500 lbs. / 20500 lbs.

(2) 5.0bhp Viper™ pumps
 (1) 7.0bhp pump

Standard Features on the 13 Party / Exercise & GL Premium 13' Swim Spa			Optional Features
Gecko™ Pack Digital Topside Controls Foam Insulation Maintenance. Free Skirting Stainless steel grab bars Plasma Ozone Water Treatment	LED Lighting Swimming Lane Graphics (2) Illuminated River Jets - Premium 13 (4) Swim Jets - Party 13 (6) Illuminated Fountain jets Padded Headrests	Diverters VGB Compliant Intake Lucite™ Sterling Silver Acrylic <i>*Waterline tile accent standard with option to order without</i>	<ul style="list-style-type: none"> • (CIRC) Circulation Pump • (IT) in.Touch™ • Rowing / Tether / Exercise Equipment • Bluetooth™ Stereo System Additional charges apply

Standard Features on the GL Premium 17' & 19' Swim Spas			Optional Features
Gecko™ Pack (3) 5.0bhp Viper™ pumps (1) 7.0bhp pump Digital Topside Controls Foam Insulation (3) Stainless steel grab bars Maintenance Free Skirting	*Plasma Ozone Water Treatment LED Lighting Swimming Lane Graphics Rowing / Exercise equipment Padded Headrests Lucite™ Sterling Silver Acrylic	Diverters VGB Compliant Intake (3) Illuminated River Jets Bluetooth™ Stereo System <i>*Waterline tile accent standard with option to order without</i>	<ul style="list-style-type: none"> • (CIRC) Circulation Pump • (IT) in.Touch™ Additional charges apply



Garden Leisure Swim Spas Product Warranty



Garden Leisure Spas warrants its swim spas not to leak, meaning to be structurally sound and capable of holding water only, and against loss of water through the fiberglass laminate of the spa shell caused by defects in materials and/or workmanship for a period of **TWENTY YEARS**



Garden Leisure Spas warrants the surface finish of its swim spas to be free from blistering and cracking due to defects in the acrylic surface material for a period of **SEVEN YEARS**



Garden Leisure Spas warrants the electrical components: heaters, pumps, relays and contactors and other spa components against malfunction, leaks and/or defects in materials and/or workmanship for a period of **FIVE YEARS**.



Garden Leisure Spas warrants all plumbing parts to be free from defects in material and / or workmanship for a period of **FIVE YEARS**



The ancillary electrical systems and mechanical components are warranted against malfunction due to defects in material and / or workmanship for a period of **ONE YEAR**

BUY WITH CONFIDENCE



Green Manufacturing Procedures

Healthier • Quieter • More Energy Efficient



Facility conscious procedures

- Manufacturing facility is environmentally conscious; uses “green manufacturing” procedures.
- Facility is Regulatory Agency Compliance and has been rated as a “Clean Air” facility by the U.S. EPA.

Spa model procedures and construction

- Frame complies with U.S. EPA's new standards on treated wood.
- Recycled acrylic and resin added to spa bottom for superior support.
- Suctions and Drains are VGB 2008 Compliant and UL tested.
- L.E.D. lighting systems have longer life with reduced heat emissions
- Spa pumps offer supreme operating efficiency on both high and low speeds! This SAVES ENERGY and MONEY!
- Circ Pump benefits
 - Circ Pumps are 40% more efficient than standard induction motors
 - CEC title 20 compliant
 - 150 watts of performance for only 108 watts of power
- ABS bottoms on spa models reduce operating cost and increase energy efficiency by keeping heat in spa cavity.
- Water purification is comprised of Ozone technology, Anti-Microbial embedded Pleatco™ filters and user friendly, adjustable filtration cycles - This results in clean water and the reduction of added chemicals
- Insulation benefits
 - Icynene™ spray foam - 100% free from HFC's, PPBDE's and no detectable VOC's after 30 days - These are elements that contribute to Global warming
 - Icynene™ delivers up to 50% more energy savings versus traditional spray foam insulation
 - Conforms to all ASTM standards
 - Full compliance with WEES and RHEEM EU standards
 - Installed foil “surround” wrap retains heat from pumps, which keeps the entire cavity warm and reduces energy cost.

Garden Leisure Spas proudly uses recycled materials where possible. We practice “Green Manufacturing” procedures, while ensuring an unrivaled standard of quality.





Your Journey to Tranquility Begins Here!

Spa Safety

- Maintain constant adult supervision when children are in or near ANY body of water.
- Install fences, barriers and spa covers to prevent unsupervised access, especially by young children.
- Always completely remove your spa cover before using your spa.
- Inspect your spa equipment on a regular basis to ensure that it is in good working order and that it is safe.
- Always test the temperature of your spa's water before entering the spa. It is recommended that maximum water temperature never exceed 104°F (40°C). Do not soak for more than 15 minutes at one sitting in 104°F (40°C) water.
- Individuals with certain medical conditions, such as heart disease, diabetes, high or low blood pressure, and pregnant women, should not use a spa without advance approval by their physician. If a person has any doubt as to whether a medical condition should limit their use of a spa, they should seek prior consultation with their physician. Individuals with open cuts or wounds should not use a spa until completely healed.
- Never use a spa when you are alone and never use a spa while using or after using alcohol or drugs that may cause sleepiness, drowsiness, or raise or lower blood pressure.
- Ask your city about any specific rules and regulations that apply to spa ownership, including local electrical codes.
- Do not allow unsafe or risky behavior in and around the spa.
- Consult with a licensed electrician for installation of or any work to your spa. If you are installing your own spa, it is your responsibility that all work performed complies with the National Electrical Code and all other applicable codes and regulations.
- Your spa's jets, grates, skimmer and main drain should be properly maintained and secured. Spa users should be instructed not to stick any part of their body into such outlets as entrapment and drowning can occur. Spa users with long hair should also be cautioned not to get their hair near such outlets.
- Keep a first aid kit in close proximity to your spa.
- Maintenance and safety manuals contain detailed tips and recommendations and should be read, followed and applied on a regular basis.
- We encourage all spa owners to request safety related publications from the Association of Pool and Spa Professionals (APSP), including: "The Sensible Way To Enjoy Your Spa or Hot Tub," and "Pool and Spa Emergency Procedures for Infants and Children." These APSP publications can be ordered from the APSP by calling or writing them at the APSP, 2111 Eisenhower Avenue, Suite 500, Alexandria, VA 22314, (703) 838-0083, or by visiting the APSP consumer Web site at www.theapsp.org.

Be Responsible

